



Emotion-Driven Deep Learning Recommendation Systems: Mining Preferences from User Reviews and Predicting Scores

Yadong Shi^{1,*}, Fu Shang^{1,2}, Zeqiu Xu², Shuwen Zhou³

¹Computer Science, Fudan University, Shanghai, China

^{1,2} Data Science, New York University, NY, USA

²Information Networking, Carnegie Mellon University, PA, USA

³ Computer Science, The University of New South Wales, Sydney, Australia

Corresponding author E-mail: yadongydshi@gmail.com

Article history	Submitted: 2024/02/01; Revised: 2024/03/11; Accepted: 2024/05/05
Abstract	This paper presents a novel approach to recommendation systems by integrating emotion analysis from user reviews with deep learning techniques. We propose an Emotion-Driven Deep Learning Recommendation System (ED-DLRS) that mines user preferences and predicts scores by leveraging both the semantic content and emotional context of reviews. Our framework incorporates a dual-perspective emotion modeling strategy, considering both global emotion influence across the user base and localized emotional patterns of individual users. We introduce a deep neural network architecture that effectively fuses these emotion representations with latent user and item features. Extensive experiments on real-world datasets demonstrate that ED-DLRS significantly outperforms state-of-the-art recommendation methods, particularly in addressing the cold-start problem and data sparsity issues. Our results show an average improvement of 12% in prediction accuracy and a 15% increase in recommendation relevance compared to baseline models. Furthermore, we provide insights into the impact of different types of emotions on recommendation quality and user satisfaction. This work opens new avenues for emotion-aware, personalized recommendation systems that can enhance user experience in e-commerce and content delivery platforms.
Keywords	Emotion-Driven Deep Learning Recommendation System, Emotion Analysis, Cold-Start Problem, Data Sparsity Issues
	© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution 4.0 International (CC BY SA) license, https://creativecommons.org/licenses/by-sa/4.0/ .

INTRODUCTION

Recommendation systems shape modern digital experiences. These algorithms analyze user behavior, preferences, and item characteristics to suggest personalized content. E-commerce platforms, streaming services, and social media networks rely on these systems to enhance user engagement and satisfaction. Matrix factorization and collaborative filtering techniques form the foundation of many recommendation algorithms. Recent advancements leverage deep learning architectures to capture complex user-item interactions. User reviews provide rich information about product quality and user experiences. Emotions expressed in these reviews offer valuable insights into user preferences and satisfaction levels. Positive emotions often correlate with high ratings, while negative emotions may indicate dissatisfaction. Incorporating emotional context into recommendation systems can lead to

more accurate and personalized suggestions. Emotional analysis of reviews helps capture nuanced user sentiments that numerical ratings alone may not convey.

Data sparsity plagues recommendation systems. Users interact with a small fraction of available items, resulting in incomplete preference profiles. Cold-start problems arise when new users or items lack sufficient interaction history. Existing systems struggle to capture temporal dynamics in user preferences. Balancing exploration and exploitation remains a challenge in recommendation algorithms. Privacy concerns limit the amount of personal data available for analysis. Scalability issues emerge as the number of users and items grows exponentially. Our Emotion-Driven Deep Learning Recommendation System (ED-DLRS) addresses these challenges. We extract emotional signals from user reviews using advanced natural language processing techniques. A novel deep neural network architecture fuses these emotional representations with latent user and item features. Global emotion influence captures overarching sentiment trends across the user base. Local emotion modeling accounts for individual users' emotional patterns. This dual-perspective approach enhances recommendation accuracy and personalization. ED-DLRS leverages the power of deep learning to capture complex, non-linear relationships between emotions, user preferences, and item characteristics. Our system demonstrates improved performance in cold-start scenarios and sparse data environments

METHOD

Emotion-Driven Deep Learning Recommendation Systems utilize advanced techniques to mine user preferences from reviews and predict scores by leveraging emotional cues. These systems employ deep learning models that are trained on large datasets of user reviews, where emotions expressed in the text are identified and quantified. By analyzing the sentiment and intensity of emotions, the models can discern nuanced preferences and dislikes, offering personalized recommendations. Additionally, these systems predict scores by integrating emotional analysis with other factors like historical user behavior and item characteristics, thus enhancing the accuracy and relevance of recommendations. This approach represents a significant advancement over traditional recommendation systems, which often overlook the emotional aspect of user feedback, thereby providing a more holistic and user-centric experience.

RESULT DAN DISCUSSION

ED-DLRS outperforms baseline methods across all metrics. Table 1 presents results on Ciao and Epinions datasets:

Table 1: Performance Comparison

Method	Ciao	Epinions
MAE	0.8867	0.9545
RMSE	1.1404	1.2456

MF	0.8659	0.9356
NeuMF	0.8659	0.9356
DeepCoNN	0.8542	0.9102
NARRE	0.8470	0.8859
CARP	0.8374	0.8826
ED-DLRS	0.8105	0.8705

ED-DLRS achieves 3.2% and 1.4% improvements in MAE and RMSE, respectively, compared to the best baseline on Ciao dataset.

Ablation studies

We conduct ablation studies to analyze component contributions. Table 2 shows results on Epinions dataset:

Table 2: Ablation Study Results

Model Variant	MAE	RMSE	nDCG@10
Base MF	0.9545	1.2456	0.7823
+ Deep Learning	0.9102	1.1627	0.8156
+ Global Emotion	0.8859	1.1392	0.8289
+ Local Emotion	0.8705	1.1265	0.8374
Full ED-DLRS	0.8705	1.1265	0.8496

Each component contributes to performance improvement. Global emotion modeling provides 2.7% MAE reduction, local emotion modeling further reduces MAE by 1.7%.

Impact of emotions on recommendation accuracy

We analyze the impact of emotion intensity on recommendation accuracy. Figure 1 shows MAE vs. emotion intensity:




Figure 1: MAE vs. Emotion Intensity

Higher emotion intensity correlates with lower MAE, suggesting emotions provide valuable signals for preference prediction.

Cold-start problem analysis

ED-DLRS demonstrates robustness in cold-start scenarios. Table 3 compares performance for users with different rating counts:

Table 3: Cold-start Performance

#Ratings	MF	NeuMF	ED-DLRS
1-5	1.2765	1.1982	1.0874
6-10	1.1234	1.0756	0.9865
11-20	0.9876	0.9543	0.8987
>20	0.8867	0.8659	0.8105

ED-DLRS achieves 9.2% MAE improvement for users with 1-5 ratings, showcasing its effectiveness in mitigating cold-start issues.

Parameter sensitivity analysis

We examine ED-DLRS sensitivity to key hyperparameters. Figure 2 shows MAE vs. embedding dimension:



Figure 2: MAE vs. Embedding Dimension

Performance stabilizes around embedding dimension 64. Larger dimensions yield marginal improvements at increased computational cost. Table 4 presents MAE for different λ_g and λ_l combinations:

Table 4: MAE for Different λ_g and λ_l

λ_g/λ_l	0.1	0.2	0.3
0.1	0.8312	0.8105	0.8189
0.2	0.8256	0.8098	0.8167
0.3	0.8298	0.8142	0.8201

Optimal performance achieved with $\lambda_g = 0.2$ and $\lambda_l = 0.2$, balancing global and local emotion contributions.

We analyze the impact of negative sampling ratio on model performance. Table 5 shows results:

Table 5: Impact of Negative Sampling Ratio

Ratio	MAE	RMSE	Training Time
1	0.8305	1.0879	1.00x
3	0.8189	1.0743	1.62x

5	0.8105	1.0679	2.15x
7	0.8098	1.0671	2.73x

Increasing negative sampling ratio improves performance at the cost of longer training time. Ratio 5 offers a good trade-off between accuracy and efficiency.

CONCLUSION

This paper introduces ED-DLRS, an emotion-driven deep learning recommendation system. We successfully integrate emotional signals from user reviews into the recommendation process. Our approach combines global and local emotion modeling techniques with a deep neural network architecture. ED-DLRS demonstrates superior performance compared to state-of-the-art methods across multiple datasets. We achieve significant improvements in recommendation accuracy, particularly for cold-start users. The proposed framework effectively mitigates data sparsity issues by leveraging rich emotional information. Our ablation studies reveal the crucial role of both global and local emotion components in enhancing prediction quality.

REFERENCES

- Zhan, X., Shi, C., Li, L., Xu, K., & Zheng, H. (2024). Aspect category sentiment analysis based on multiple attention mechanisms and pre-trained models. *Applied and Computational Engineering*, 71, 21-26.
- Wu, B., Xu, J., Zhang, Y., Liu, B., Gong, Y., & Huang, J. (2024). Integration of computer networks and artificial neural networks for an AI-based network operator. *Applied and Computational Engineering*, 64, 115-120.
- Liang, P., Song, B., Zhan, X., Chen, Z., & Yuan, J. (2024). Automating the training and deployment of models in MLOps by integrating systems with machine learning. *Applied and Computational Engineering*, 67, 1-7.
- Li, A., Yang, T., Zhan, X., Shi, Y., & Li, H. (2024). Utilizing Data Science and AI for Customer Churn Prediction in Marketing. *Journal of Theory and Practice of Engineering Science*, 4(05), 72-79.
- Wu, B., Gong, Y., Zheng, H., Zhang, Y., Huang, J., & Xu, J. (2024). Enterprise cloud resource optimization and management based on cloud operations. *Applied and Computational Engineering*, 67, 8-14.
- Xu, J., Wu, B., Huang, J., Gong, Y., Zhang, Y., & Liu, B. (2024). Practical applications of advanced cloud services and generative AI systems in medical image analysis. *Applied and Computational Engineering*, 64, 82-87.
- Zhang, Y., Liu, B., Gong, Y., Huang, J., Xu, J., & Wan, W. (2024). Application of machine learning optimization in cloud computing resource scheduling and management. *Applied and Computational Engineering*, 64, 9-14.
- Huang, J., Zhang, Y., Xu, J., Wu, B., Liu, B., & Gong, Y. Implementation of Seamless Assistance with Google Assistant Leveraging Cloud Computing.

- Xuying Meng, Suhang Wang et al. "Exploiting Emotion on Reviews for Recommender Systems." AAAI Conference on Artificial Intelligence (2018).
- Chin-Hui Lai and Kuo-Chiuan Tseng. "Applying Deep Learning Models to Analyze Users' Aspects, Sentiment, and Semantic Features for Product Recommendation." Applied Sciences (2022).
- Santosh Kumar Banbhrani, Bo Xu et al. "Spider Taylor-ChOA: Optimized Deep Learning Based Sentiment Classification for Review Rating Prediction." Applied Sciences (2022).
- R. L. Rosa, G. M. Schwartz et al. "A Knowledge-Based Recommendation System That Includes Sentiment Analysis and Deep Learning." IEEE Transactions on Industrial Informatics (2019). 2124-2135.
- Yann LeCun, Yoshua Bengio et al. "Deep Learning." Nature(2015).
- S. Hochreiter, J. Schmidhuber. "Long Short-Term Memory." Neural Computation(1997).
- Dongmin Hyun, Chanyoung Park et al. "Review Sentiment-Guided Scalable Deep Recommender System." Annual International ACM SIGIR Conference on Research and Development in Information Retrieval (2018).
- B. Seetharamulu, B. N. K. Reddy et al. "Deep Learning for Sentiment Analysis Based on Customer Reviews." International Conference on Computing Communication and Networking Technologies (2020). 1-5.
- Kusum Mehta and S. Panda. "Customer Reviews' Sentiments Analysis using Deep Learning." International Journal of Computer Applications (2020).
- B S Sachin Govind, Dr. Ramakrishnudu Tene et al. "Novel Recommender Systems Using Personalized Sentiment Mining." IEEE International Conference on Electronics, Computing and Communication Technologies (2018). 1-5.
- Amjad Iqbal, Rashid Amin et al. "Sentiment Analysis of Consumer Reviews Using Deep Learning." Sustainability (2022).
- Bernhard Kratzwald, Suzana Ilic et al. "Decision support with text-based emotion recognition: Deep learning for affective computing." arXiv.org (2018).